

ZAŠTITA ŠLJIVE

VREME PRIMENE	RAZLOG TRETIRANJA
Bubrenje pupoljaka	Prezimljavajuće forme patogena i štetnih insekata
Početak cvetanja	Sušenje cvetova i grančica Folijarna ishrana
Puno cvetanje	Sušenje cvetova i grančica Folijarna ishrana
Produženo cvetanje (prema potrebi)	Sušenje cvetova i grančica
Precvetavanje	Šupljikavost lišća Plamenjača šljive Lisne vaši Šljivina osa Folijarna ishrana
Formiranje ploda	Šupljikavost lišća Plamenjača šljive Šljivin smotavac Folijarna ishrana
Razvoj ploda	Šupljikavost lišća Rđa šljive Šljivin smotavac Folijarna ishrana
Promena boje ploda	Mrka trulež plodova Šupljikavost lišća Šljivin smotavac Folijarna ishrana
Najkasnije 7 dana pre berbe	Mrka trulež plodova Folijarna ishrana
Pre opadanja lišća	Folijarna ishrana
Jesenji tretman	Prezimljujuće forme prouzrokovala bolesti

IZBOR PREPARATA

FAZE

Everest 0,6%
Letol EC 2-3%



Diverto ili
Ciprodex® 0,05-0,075%



Wuxal® Ascofol 0,2%



Signum® 0,075%

Wuxal® Boron plus 0,2%

Signum® 0,075%

Neimar 0,035-0,05%



Šiman 200 SG 0,05%

Wuxal® Calcibor 0,2-0,3%

Different 250 EC 0,03%

Alkazar 0,1%

Wuxal® Calcium 0,3%



Different 250 EC 0,03%

Plures 0,1%

Wuxal® Calcium 0,3%



Neimar 0,035-0,05%

Šiman 200 SG 0,05%

Wuxal® Aminocal 0,5%



Signum® 0,075%

Wuxal® Aminocal 0,5%



Wuxal® Boron plus 0,1%

Wuxal® Zinc 0,1%

Wuxal® Magnesium 0,2%

Everest 0,5-0,7%

